

Edition 4


## $D_{ m ear}$ Customer,

We are proud to present the Palladio Door Collection. We think you will agree that it has been worth waiting for. It is by a long measure, in our opinion, the finest composite door on the market today. In ten years research and development we have left no stone unturned in our quest for the perfect product.

Our approach to this was innovative and radical. The composition of the door differs from all others in its MONOCOQUE structure. This structure gives it a massive strength-to weight ratio and is protected in Europe by patent number 1766176 (Patents in the USA and Canada pending). Apart from the monocoque design there are a lot of other innovative features to this door. For instance, we have designed and manufactured a hinge exclusively for this door, so it is visually concealed unlike the more commonly used flag hinge, which is unsightly. Our glazing system with beads that look like wood is also very attractive. As is evident from the following pages, our wood grain finish is superb, due to the fact that all our tooling is made in house. In a very unique process we replicate exactly the finish of a real oak door, 100% true to the original. Another feature of the door is its excellent U value rating of 0.205 as tested by the "Lambda" testing method.

In addition to this, all our glass is triple glazed and we use edgetech warm edge seals for the lowest U value possible of 0.7. Combined with our new rage of Patinated glass designs that consists of a sandblasted glass with a clear boarder that will give you modern and contemporary design, our patinated design is achieved through sandblasting not by films or resins that is completely environmentally friendly that will last a lifetime.

We are dedicated to the pursuit of excellence and service to our loyal customers. We take this opportunity to thank you for your continued support. When we say the customer is king it is not an empty platitude, - we mean it!



Design your new Door, Go to www.palladiodoorcollection.com



# **Profile Developments**

### PALLADIO DOOR AND GLASS COLOUR INDEX

DOOR	GLASS	PAGE
Albany	TG501 / TG8/ TG200 Red	
Belfast	TG501 / TG186 /TG7 Red /TG8	
Cairo	TG65 / TG63 Red / TG53 Red/ TG64 Red	45,46
Cambridge	TG501 / TG74 / TG190 / TG189	
Cashel	TG501 / TG180 / TG136 Black	
Dublin	n TG501 / TG99 / TG160 Red / TG155 Blue	
Edinburgh	TG501 / TG100 / TG8 / TG102	
Georgian Solid	TG501	
Georgian 1	TG501 / TG8 / TG77 / TG192	7,8
Georgian 2	TG10 Red / TG76 / TG8	
Giza	TG105 / TG62	
Glasgow	TG501 / TG205 Black / TG180	27,28
Joyce	TG501 / TG178 Red / TG8 / TG108	
Kensington	TG501 / TG193 / TG209 Red	29,30
Kildare	TG501 / TG160 Red / TG100 / TG215 Black	
London	TG501 / TG136 Black / TG8 / TG180	— 11,12
Monet Naples	TG501 / TG171 / TG179 / TG170 Red	,
Orpen	TG501 / TG175 Red / TG173 / TG94	
Oxford	TG501 / TG184 / TG202	37,38
Palermo Glazed	o Glazed TG501 / TG8 / TG23 / TG96 Red	
Palermo Solid	TG501 / TG114 / TG84 / TG8	21,22
Paris	TG501 / TG143 Black / TG78 Red / TG8	9,10
Picasso	TG206 / TG136 Black / TG85	
Rome	TG501 / TG143 Black / TG136 Black / TG132 Black / TG91 Blue —	3,4
San Marco Solid	TG501	33
San Marco	TG16 / TG91 Blue / TG15 / TG14 / TG157	34
San Tiago	Fiago TG59 Black / TG106	
Seville	TG501 / TG143 Black / TG8 / TG131 Red	— 13,14
Sunbeam 1 / 2	TG41 / TG43 / TG40 Red&Black / TG91 Blue	
T&G Solid	TG501 / TG109 / TG205 Black / TG68	
T&G	TG501 / TG98 / TG48 / TG100	
Turner	TG501 / TG186 / TG107 Black / TG8	31,32
Viking	TG129 / TG15 / TG100 / TG128 black	
Sidepanels		
Accessories		,
Specification		00



contemporary glass designs to suit our vast range of door styles

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.



Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.

Door Type - Rome Glass Type - TG132 Satinized (Min. Glass Width 200 mm) Colour Anthracite Grey



Door Type - Rome Glass Type - TG136 Satinized (Min. Glass Width 140 mm) Colour Red



Door Type - Rome Glass Type - TG91 Satinized (Min. Glass Width 150 mm) Colour Blue



Door Type - Georgian 2 Glass Type - TG76 (Min. Glass Width 200 mm) Colour Red

A fine example of our satinized glass for doors and sidelights. This product is produced in-house and is quite unique in it's crystal-like appearance as is evident in the picture on the left.

Door Type - Georgian 2 Glass Type - TG10 Satinized (Min. Glass Width 230mm) Colour Green

Door Type - Georgian 2 Glass Type - TG8 (Min. Glass Width 155mm) Colour Anthracite Grey 6

The Georgian 1 Style is a classic design with a contemporary influence through our unique glass designs. The woodgrain effect that is lifted from a real oak door compliments this design.

Door Type - Georgian 1 Glass Type - TG77 satinized (Min. Glass Width 150mm) Colour Chartwell Green

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.

(7)

Door Type - Georgian 1 Glass Type - TG501 Patinated (Min. Glass Width 170 mm) Colour Burgundy



Door Type - Georgian 1 Glass Type - TG8 (Min. Glass Width 155mm) Colour Anthracite Grey



Door Type - Georgian 1 Glass Type - TG192 (Min. Glass Width 240mm) Colour Burgundy







Door Type - London Glass Type - TG501 Patinated (Min. Glass Width 170 mm) Colour Anthracite Grey

Door Type - London Glass Type - TG8 (Min. Glass Width 200 mm) Colour Agate Grey

Please Note - All Doors on this page supplied with spy view as standard.

Door Type - London Glass Type - TG180 Satinized (Min. Glass Width 200 mm) Colour Bog Oak



**Please Note** - All Doors on this page supplied with spy view as standard.

**Please Note** - All Doors on this page supplied with spy view as standard.

D

0

0

\*

\*

4

~

Door Type - Belfast Glass Type - TG501 Patinated (Min. Glass Width 170 mm) Colour Silver Grey

> Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold, Letterbox not available on this style.



Door Type - Belfast Glass Type - TG186 Satinized (Min. Glass Width 140 mm) Colour Anthracite Grey



Door Type - Belfast Glass Type - TG7 (Min. Glass Width 210 mm) Colour Red

Door Type - Belfast Glass Type - TG8 (Min. Glass Width 155 mm) Colour Agate Grey







Door Type - Palermo Glass Type - TG23 (Min. Glass Width 250 mm Colour Anthracite Grey

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.

Door Type - Palermo Glass Type - TG96 Satinized (Min. Glass Width 150 mm) Colour Bog Oak



Door Type - Palermo Solid Glass Type - TG501 Patinated (Min. Glass Width 170 mm) - Colour Red

Door Type - Palermo Solid Glass Type - TG84 (Min. Glass Width 210 mm) - Colour Green



Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.** 

Door Type - Palermo Solid Glass Type - TG8 (Min. Glass Width 170 mm) - Colour Blue




Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold, Letterbox not available on this style.** 


Door Type - Albany Glass Type - **TG8** (Min. Glass Width 170mm) Colour Silver Grey

Door Type - Albany Glass Type - TG200 Satinized (Min. Glass Width 140mm) Colour Red

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold,** Letterbox not available on this style.







0



1 The second second



Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold,




Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold,** 

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold,** 

**Please Note** - All Doors on this page supplied with spy view as standard.

Door Type - Glasgow Glass Type - TG205 Satinized (Min. Glass Width 140mm) Colour Anthracite Grey

Door Type - **Glasgow** Glass Type - **TG180 Satinized** (Min. Glass Width 200mm) Colour Chartwell Green



Door Type - Kensington Glass Type - TG501 Patinated (Min. Glass Width 170mm) Colour Red



~

0

0

0

0

NER STREET, STREET,



Please Note - All Doors on this page supplied with spy view as standard.

Door Type - Kensington Glass Type - TG193 Satinized (min. Glass Width 200mm) Colour Silver Grey

Door Type - Kensington Glass Type - TG209 (min. Glass Width 210mm) Colour Anthracite Grey



Door Type - Turner Glass Type - TG107 Satinized (Min. Glass Width 240 mm) - Colour Silver Grey

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.


**Please Note** - All Doors on this page supplied with spy view as standard.




Door Type - Turner Glass Type - TG186 Satinized (Min. Glass Width 140 mm) - Colour Agate Grey



Door Type - Turner Glass Type - TG8 (Min. Glass Width 155 mm) - Colour Bog Oak Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.







Door Type - San Marco Glass Type - TG14 (Min. Glass Width 210 mm) Colour Chartwell Green



Door Type - San Marco Glass Type - TG91 (Min. Glass Width 150 mm) Colour Burgundy



Door Type - San Marco Glass Type - TG15 (Min. Glass Width 150 mm) Colour Blue



Door Type - San Marco Glass Type - TG157 Satinized (Min. Glass Width 200 mm) Colour Anthracite Grey



Door Type - Orpen Glass Type - TG501 Patinated (Min. Glass Width 170 mm) Colour Bog Oak

Light Oak Rosewood Chartwell Green Anthracite Grey Silver Grey Burgundy Agate Grey Blue Bog Oak Green

and the start of the


Door Type - Orpen Glass Type - TG173 Satinized (Min. Glass Width 110 mm) Colour Agate Grey



(Min. Glass Width 150 mm) Colour Blue

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.

36)



37



Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.





Door Type - Joyce Glass Type - TG501 Patinated (Min. Glass Width 170 mm) Colour Red

Door Type - Joyce Glass Type - TG8 (Min. Glass Width 155 mm) Colour Burgundy



Door Type - Joyce Glass Type - TG108 Satinized (Min. Glass Width 200 mm) Colour Agate Grey



Door Type - Cairo Glass Type - TG53 Satinized (Min. Glass Width 160 mm) Colour Burgundy



Door Type - Cairo Glass Type - TG64 (Min. Glass Width 160 mm) Colour Anthracite Grey

Please Note - All Doors on this page supplied with spy view as standard or with a spyview knocker as an optional extra.

Please Note - All Doors on this page supplied with spy view as standard or with

All Doors Styles on This Page Available with Contemporary Cranked Pullbar Handle Supplied with Heritage Slam Locking System. Option of Fingerpull Escutcheon or Traditional Lever Handles also available.







Door Type - T&G Solid Glass Type - TG109 (Min. Glass Width 210 mm) Colour light oak



Door Type - T&G Solid Glass Type - TG205 Satinized (Min. Glass Width 140 mm) Colour Chartwell Green



Door Type - T&G Solid Glass Type - TG68 (Min. Glass Width 200 mm) Colour Anthracite Grey Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.



Door Type - Dublin Glass Type - TG501 Patinated (Min. Glass Width 170 mm) Colour Anthracite Grey

Door Type - Dublin Glass Type - TG160 Satinized (Min. Glass Width 200 mm) Colour Red

1 10 Sec.

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.



Door Type - Dublin Glass Type - TG99 (Min. Glass Width 210 mm) Colour Chartwell Green



Door Type - Dublin Glass Type - TG155 (Min. Glass Width 140 mm) Colour Bog Oak **Please Note** - All Doors on this page supplied with spy view as standard.



1402-1100

表示的



Chartwell Green Anthracite Grey

Green

Bog Oak

Blue

Light Oak

Rosewood

- 2 Carles

Silver Grey

Burgundy

Agate Grey

Door Type - Picasso Glass Type - TG136 Satinized (Min. Glass Width 140 mm) Colour Burgundy

Please Note - All Doors on this page supplied with spy view as standard.



Door Type - Picasso Glass Type - TG85 Satinized (Min. Glass Width 200 mm) Colour Chartwell Green



Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.** 

Doors fitted with a Heritage Slam Lock, it is recommended to have a PVC threshold or Storm Guard Plus rebated threshold only. **Please Note : Not a Storm Guard or a Storm Guard Plus Threshold.** 

(Min. Glass Width 200 mm) Colour Red



Door Type - San Tiago Glass Type - TG59 (Min. Glass Width 210 mm) Colour Agate Grey



Door Type - Giza Glass Type - TG105 (Min. Glass Width 155 mm) Colour Chartwell green



Door Type - Giza Glass Type - TG62 (Min. Glass Width 330 mm) Colour Rosewood



Door Type - San Tiago Glass Type - TG106 Colour Red

High Security Finger Pull Escutcheon created to compliment both contemporary and period door designs. The cylinder is protected behind a steel security shield with a reduced risk of cylinder attack, snapping or drilling.

All doors on this page are available with Curved or Pullbar Handle supplied with Heritage slam Locking System. Option of Fingerpull Escutcheon or Traditional Lever Handles also available



Door Type - Sunbeam 1 Glass Type - TG41 Colour Bog Oak



Door Type - Sunbeam 2 Glass Type - TG40 (Min. Glass Width 210 mm) Colour Blue



Door Type - Sunbeam 2 Glass Type - TG41 (Min. Glass Width 150 mm) Colour Red



Door Type - Sunbeam 2 Glass Type - TG43 (Min. Glass Width 210 mm) Colour Anthracite Grey

Door Type - Sunbeam 2 Glass Type - TG91 Satinized (Min. Glass Width 150 mm) Colour Burgundy



Door Type - Giza



Stippolyte





Door Type - Naples

**Obscure Glass** 

Side Panels



Minster

T&G 1/2 (Smooth Finish) Barony 1/2 (Smooth Finish)



Palladio Door Collection

	Composite	65mm fibreglass reinforced Monoco Canadian and US Pending
	Door Colours	White, Cream, Red, Blue, Green, Bo Grey and Burgundy. Please note: H
	Double Rebate	Double rebate using two seals achie
	Single Door Slab Size	Min. 782 mm x 1855 mm Max. 910 mm x 2095 mm <i>Please Note:</i>
		with low Stor with low Stor with low Stor with 57mm u
	Heritage Slam Lock with Leaf Only	Less 96mm from complete door wit Available for Liniar and Kommerling
	Heritage Slam Lock with Frame	Including 1200 pull handle, 600 curve Min Size 911 - Paris, London, Rome Oxford, Belfast, Albany, Cashel, Glas Min Size 901 - Dublin, Giza, Santiag
	Heritage Slam Lock and Frame with Escutcheon	Min size 916 - Georgian, Naples, Ca Min size 891 - Sunbeam, T&G, Paris Monet, Joyce, Oxford, Belfast, Alba Min size 901 - San Marco, Dublin, G
	Warning	Doors fitted with a Heritage Slam lock, it Please Note : Not A Storm Guard or a
	U Value rating	Door body U Value - 0.205, Triple gla Solid Door U Value including frame
	Glazing beads	Designed to be removed internally
	Triple Glazing	Triple glazed units using warm edge Minister, Stippolite and Flemish. * or All satinized triple glazed units avail
	Lock type	2 hook 2 shootbolt 4 roller and dead Thumb turns to be used with the He All door furniture and locks have a 1
	Door numerals	Supply only available 0-9 in Gold, C
	Warning	In the event of a door being fitted be excessive build up of heat. Satinized and flemish glass may have
	Hardware	High quality handle, letter plate, doo MANUFACTURED TO BS 7412. Plea however is not compliant with build
	Hardware Colour	Black, Gold, Bright Chrome, Satin S Door knobs and doctors knocker su
	Drainage Caps	Available in 13 colour options.
	Handle type	Lever / Lever / Pad
	Handle Maintenance	Stainless pull handles must be main any abrasive cleaners
	Hinge type	Rebated hinge available White, Cara
	PVC outerframe Sculptured	70mm with galvanized steel reinford
	PVC outerframe & Sidelight colour	White, Cream, Red, Blue, Bog Oak, Grey and Silver Grey available using
	Threshold	Extra strong - standard and low three
	$\mathcal{M}_{\mathcal{I}}$	Please note, owing to the photographic and Images shown are for illustrative purposes o

# **Specifications**

ed Monocoque Composite Door, Patented Design protected in Europe by patent no 1766176,

Green, Bog Oak, Rosewood, Anthracite Grey, Chartwell Green, Light Oak, Silver Grey, Agate ase note: Half Sidelight Panels are not available in Silver Grey, Agate Grey or Burgundy.

seals achieving excellent draught proofing

Min. 878 mm x 1951 mm Single Door ım With Frame Max. 1006 mm x 2191 mm ım Minimum Size 858 with 57mm frame on lock side. th low Stormguard Plus threshold, max height 2181mm, min 1942mm th low Stormguard Plus rebated, max height 2162mm, min 1922mm th low Stormguard threshold, max height 2163mm, min 1923mm th 57mm uPVC threshold, max height 2171mm, min 1931mm e door with frame ommerling Profile only. Min Leaf Height 1900mm 600 curved handle and Slendertech handle don, Rome, Viking, Edinburgh, Seville, T&G, Picasso, Rubens, Turner, Orpen, Monet, Joyce, ashel, Glasgow, Kensington za, Santiago, Cambridge, Kildare Naples, Cairo, Palermo T&G, Paris, London, Rome, Viking, Edinburgh, Seville, Picasso, Rubens, Turner, Orpen, elfast, Albany, Cashel, Glasgow, Kensington , Dublin, Giza, Santiago, Cambridge, Kildare Slam lock, it is recommended to have a PVC Threshold or Storm Guard Plus Rebated Threshold only. Guard or a Storm Guard Plus Threshold 5, Triple glaze U value - 1.1, combined U value - 0.64 ing frame - 0.85 / Glazed Door U Value including frame - 0.98 internally warm edge, available in all doors. Backing glass, available as standard in Clear, Cotswold, emish. \* other obscure glass available optional extra (time delay). units available with clear glass only. r and deadlatch / Heritage Slam lock optional extra / PAS 23/24 Approved with the Heritage Slam lock ks have a 12 month guarantee in Gold, Chrome, Black and Satin Silver ng fitted behind a Glazed Patio Door, the area needs to be well vented to prevent the ss may have imperfections as the raw material is prone to slight flaws or blemishes plate, door knocker solid or with spyview, all available with 12 month warranty. 7412. Please Note: Letterboxes can be fitted at the bottom of all doors if requested, this with building regulations. ne, Satin Silver, Smokey Chrome and White. (Please note chrome handle and letterbox knocker supplied only in Gold and Chrome. may vary sightly in colour from door knocker.)

BS 7412 and BS 1670:1998

ist be maintained every few months with soap and water to avoid discolouration. Do not use

#### White, Caramel, Black and Cream

eel reinforcing

Bog Oak, Green, Rosewood, Light Oak, Chartwell Green, Anthracite Grey, Burgundy, Agate lable using 28mm triple glazed sidelights

#### nd low thresholds available

ographic and printing process used, colour may vary from the printed brochure. e purposes only. Actual product appearance and placement of furniture may vary

60

# Accessories

### **Threshold Options**





77mm uPVC Full **Frame Threshold** Distance from bottom of door leaf to bottom of threshold - 48mm

57mm uPVC Low Threshold Distance from bottom of door leaf to bottom of threshold - 28mm



Stormguard Low Aluminium Threshold Distance from bottom of door leaf to bottom of threshold - 20mm. Available in Gold and Silver.



**Stormguard Plus** Threshold Distance from bottom of door leaf to bottom of threshold - 38mm Available in Silver only.

**Stormguard Plus Rebated Threshold** Distance from bottom of door leaf to bottom of threshold - 20mm. Available in Silver only. (Not wheelchair accessible)

Door Knockers





Doctors Knocker Doctors Knocker Chrome

Black

#### Letterbox



Gold

#### Escutcheon



Round Stainless Brushed Steel

Gold Finger Pull











Black Lever Pad

Gold Lever Pad



Slendertech Handle



1200mm Offset Handle 600mm Curved Handle



High Security Cylinder (optional extra) Superior physical strength - Cylinder design that prevents lock bumping Anti-snap now with break points allowing interior key to work even if external snap damage occurs



The Mantis 3 Lock can be used with a Lever Lever or Lever Pad handle, the lock consists of ten locking points, four roller cams, two linear bolts, two hooks, a thumb latch and a dead bolt.

GU Automatic Electric Lock The GU Automatic lock gives automatic security. Simply close the door, 2 latches automatically throw and become rigid deadbolts which are locked against being forced back.



Heritage Slam Locking System An automatic 5 point locking system which is operated as soon as the door closes.





Black Lever





61)

Doctors Knocker available only in Bright Chrome and Gold. Urn Knockers also available with Viewer



Gold



Bright Chrome



Satin Silver



Smokey Chrome



White









Smokey Chrome



White



Satin Silver





Bright Chrome Finger Pull



Gold



Bright Chrome



Bright Chrome Lever



Bright Chrome Lever Pad



Satin Silver Lever



Satin Silver Lever Pad



Smokey Chrome Lever






White Lever



White Lever Pad

We have an extensive selection of furniture for our doors in various colours, enabling you to customise your door Our designer handles add a stylish and contemporary look to our doors, ensuring customer satisfaction.





This 3D generated photo demonstrates the advantage of our unique hinge. As is evident from the above picture, this hinge is not attached to the outside of the door, and therefore enhances the appearance of the door, unlike a more conventional flag hinge - as seen on the left. Double seal and rebate.



Here you see our superior MONOCOQUE structure and the advantage it holds over its competitors as demonstrated on the opposite page.



### With Your Security And Safety In Mind





The picture above shows conventional composite doors, comprised of two 2mm skins bonded to a foam core.

Figure 2 shows finished door from the original tooling.

Figure 3 is a good example of bad tooling design that lacks character.

On the other hand, compare this to Figure 4 which you can judge for yourself.

Above all we are a design and innovation led company, and this will always shine through in the finished product. We start with the project design, then manufacture the machine we require and finally manufacture the product. Figure 1 shows the oak pattern from which the final mould will be produced.



To dispel any lingering doubt you may have, we have carried out our own rudimentary test using a 4x4 vehicle.







#### **GLIN, Co. LIMERICK, IRELAND**

Ireland Telephone: 00353-68-34312 (5 Lines) Fax: 000353-68-34492 United Kingdom Freephone 0808 234 0859

Website: www.palladiodoorcollection.com - Email: info@profiledevelopments.com © Profile Developments have design copyright on all panel designs and glasswork designs



Scan this QR Code to go Directly to the website

Palladio Door Security Video Palladio Door Manufacturing Video and to see the full Range Log onto

www.palladiodoorcollection.com

